

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	43405	terminal with (tab plate)	USPAT
2	BRS	L2	1496	1 same winding	USPAT
3	BRS	L3	348	2 and (retain retaining)	USPAT
4	BRS	L4	151	3 and (bent bending bended)	USPAT
5	BRS	L5	55117	terminal with (tab plate)	US-PGPUB ; USOCR
6	BRS	L6	8748	5 same winding	US-PGPUB ; USOCR
7	BRS	L7	1469	6 and (retain retaining)	US-PGPUB ; USOCR
8	BRS	L8	0	7 and (bent bending bended)	USPAT
9	BRS	L9	443	7 and (bent bending bended)	US-PGPUB ; USOCR
10	BRS	L10	44	9 and stator	US-PGPUB ; USOCR
11	BRS	L11	1815	terminal with (tab plate)	EPO
12	BRS	L12	56	11 same winding	EPO
13	BRS	L13	2	12 and (retain retaining)	EPO
14	BRS	L14	19458	terminal with (tab plate)	JPO

15	BRS	L15	0	11 same winding	JPO
16	BRS	L16	655	14 same winding	JPO

	Time Stamp	Comments	Error Definition	Err ors
1	2005/04/26 16:28			
2	2005/04/26 16:36			
3	2005/04/26 16:29			
4	2005/04/26 16:29			
5	2005/04/26 16:36			
6	2005/04/26 16:28			
7	2005/04/26 16:36			
8	2005/04/26 16:29			
9	2005/04/26 16:29			
10	2005/04/26 16:30			
11	2005/04/26 16:37			
12	2005/04/26 16:37			
13	2005/04/26 16:38			
14	2005/04/26 16:40			
15	2005/04/26 16:37			
16	2005/04/26 16:40			

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	6	16 and (retain retaining)	JPO
18	BRS	L18	17700	terminal with (tab plate)	DERWE NT
19	BRS	L19	411	18 same winding	DERWE NT
20	BRS	L20	17	19 and (retain retaining)	DERWE NT

	Time Stamp	Comments	Error Definition	Err ors
17	2005/04/26 16:41			
18	2005/04/26 16:40			
19	2005/04/26 16:40			
20	2005/04/26 16:41			